

Eisl Carneo

**Vysoká oblouková dřezová baterie, s pružnou hlavicí a možností přepínání
sprchy a trysky**



EAN: 9002560798916

92,28 €

76,90 € bez DPH

The elegant Eisl Carneo kitchen faucet will elevate your kitchen. The sink faucet will become a luxurious element.

The high sink faucet **Eisl Carneo** will also look great as an island faucet. The faucet features a flexible head for easier handling in the kitchen. At the end of the head, you will also find a jet or shower switch.

Thanks to the combination of a swivel spout and a flexible head, the faucet is an ideal choice for double sinks. The kitchen faucet features a cold start function, meaning that in the central position of the lever, only cold water flows.

The **Eisl** battery is made of very high-quality material (ceramic sealing). The package includes an installation set and an attached manual, which will facilitate the entire installation. The battery package has two connection hoses (connections for cold and hot water). The battery is also suitable for flow heaters.

We offer this battery in a color design:

- black / shiny chrome

Key features of the Eisl Carneo kitchen faucet

- variable head in black color
- practical kitchen faucet with a swivel spout, ideal for double sinks
- sustainability thanks to the cold start function in the central position of the lever
- high-quality workmanship, ceramic cartridge
- Easy installation
- German quality

Parts of the packaging:

- Assembly instructions

Parameters

Battery appearance

Battery shape:	Arch
Surface treatment:	Chrome/black.

Battery function

Retractable nozzle:	Yes
Switching aerator / shower:	Yes
Turning head.:	about 360 degrees
Battery management:	Leverage
Battery for "two waters" (for filtered water):	No

In general

Cartridge type:	Ceramic
Average cartridge:	35 mm
Length of connecting hoses (cm):	40
Screwing hoses:	"0" - connection of flex hoses 3/8"
Warranty:	2 years
Battery height (cm):	approx. 47.5
Product TARIC code:	84818011

Battery packaging dimensions (cm)

Width of the packaging:	30.5
Height of the packaging:	6.5
Depth of the packaging:	50
Weight including packaging (kg):	2.3

